

OUR PRODUCTS

LEVEL WOUND COIL (LWC)

- Huge Range Of Size & Specs
- 99.96% Pure Copper Cathode Raw Material
- READY STOCKS
 Professionally ware housed & dispatched

| Outer Dia | Specification (mm) | Weight/ metre |
|-----------|--------------------------|---------------------|
| (3/16") | 04.76*0.40 | 49.1 gm |
| | 04.76*0.45 | 54.5 gm |
| | 04.76*0.50 | 59.9 gm |
| | 04.76*0.60 | 70.2 gm |
| | 04.76*0.70 | 79.9 gm |
| | 04.76*0.80 | 89.1 gm |
| | 04.76*0.90 | 97.7 gm |
| (5mm) | 05.00*0.41 | 52.9 gm |
| | 05.00*0.50 | 63.3 gm |
| | 05.00*0.60 | 74.2 gm |
| (6mm) | 06.00*0.50 | 77.3 gm |
| | 06.00*0.60 | 91.1 gm |
| | 06.00*0.70 | 104.3 gm |
| | 06.35*0.30 | 51.1 gm |
| | 06.35*0.35 | 59.1 gm |
| | 06.35*0.40 | 66.9 gm |
| | 06.35*0.41 | 68.5 gm |
| | 06.35*0.45 | 74.7 gm |
| | 06.35*0.50 | 82.2 gm |
| (1/4") | 06.35*0.58 | 94.1 gm |
| (1/-1/) | 06.35*0.60 | 97 gm |
| | 06.35*0.65 | 104.2 gm |
| | 06.35*0.67 | 107 gm |
| | 06.35*0.68 | 108.4 gm |
| | 06.35*0.70 | 111.2 gm |
| | 06.35*0.80 | 124.8 gm |
| | 06.35*0.90 | 137.9 gm |
| | 07.00*0.23 | 43.8 gm |
| | 07.00*0.41 | 76 gm |
| | 07.00*0.50 | 91.4 gm |
| (7 mm) | 07.00*0.60 | 108 gm |
| , , | 07.00*0.68 | 120.8 gm |
| | 07.00*0.70 | 124 gm |
| | 07.00*0.80 | 139.4 gm |
| | 07.00*0.90 | 154.3 gm |
| | 07.94*0.28 | 60.3 gm |
| | 07.94*0.30 07.94*0.35 | 64.5 gm |
| | 07.94*0.50 | 74.7 gm 104.6 gm |
| (5/16") | 07.94*0.60 | 123.8 gm |
| | 07.94*0.61 | 125.8 gm |
| | 07.94*0.65 | 133.2 gm |
| | 07.94*0.70 | 142.5 gm |
| | 07.94*0.71 | 142.3 gm |
| | 07.94*0.80 | 160.6 gm |
| | 07.94*0.90 | 178.1 gm |
| | 07.34 0.30 | 170.1 giii |

| Specification (mm) | Weight/ metre |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 09.00*0.60 | 141.7 gm |
| 09.00*0.70 | 163.3 gm |
| 09.52*0.27 | 70.2 gm |
| 09.52*0.28 | 72.8 gm |
| 09.52*0.30 | 77.8 gm |
| 09.52*0.35 | 90.2 gm |
| 09.52*0.40 | 102.6 gm |
| 09.52*0.41 | 105 gm |
| 09.52*0.50 | 126.8 gm |
| 09.52*0.58 | 145.8 gm |
| 09.52*0.60 | 150.4 gm |
| 09.52*0.70 | 173.5 gm |
| 09.52*0.71 | 175.8 gm |
| 09.52*0.80 | 196.1 gm |
| 09.52*0.90 | 218 gm |
| 12.00*0.60 | 105.1 gm |
| 12.00*0.70 | 192.3 gm |
| 12.00*0.80 | 222.3 gm |
| 12.70*0.32 | 111.4 gm |
| 12.70*0.35 | 121.5 gm |
| 12.70*0.36 | 124.9 gm |
| 12.70*0.37 | 128.2 gm |
| 12.70*0.41 | 141.6 gm |
| 12.70*0.50 | 171.5 gm |
| 12.70*0.56 | 191.1 gm |
| 12.70*0.58 | 197.6 gm |
| 12.70*0.60 | 204.1 gm |
| 12.70*0.65 | 220.1 gm |
| 12.70*0.68 | 229.7 gm |
| 12.70*0.70 | 236.1 gm |
| 12.70*0.78 | 261.3 gm |
| 12.70*0.80 | 267.6 gm |
| 12.70*0.90 | 298.5 gm |
| 15.88*0.35 | 152.8 gm |
| 15.88*0.41 | 178.3 gm |
| 15.88*0.50 | 216.1 gm |
| 15.88*0.60 | 257.7 gm |
| 15.88*0.64 | 274.1 gm |
| 15.88*0.65 | 278.2 gm |
| 15.88*0.70 | 298.6 gm |
| 15.88*0.80 | 339 gm |
| 15.88*0.90 | 378.9 gm |
| 19.05*0.88 | 449.4 gm |
| 19.05*0.90 | 459.1 gm |
| | 09.00*0.60 09.00*0.70 09.52*0.27 09.52*0.28 09.52*0.30 09.52*0.35 09.52*0.40 09.52*0.41 09.52*0.50 09.52*0.58 09.52*0.60 09.52*0.70 09.52*0.71 09.52*0.80 09.52*0.90 12.00*0.60 12.00*0.80 12.70*0.32 12.70*0.35 12.70*0.36 12.70*0.37 12.70*0.41 12.70*0.50 12.70*0.56 12.70*0.58 12.70*0.60 12.70*0.60 12.70*0.60 12.70*0.68 12.70*0.68 12.70*0.68 12.70*0.68 12.70*0.68 12.70*0.68 12.70*0.70 12.70*0.80 12.70*0.80 12.70*0.80 12.70*0.80 12.70*0.65 12.70*0.65 12.70*0.68 12.70*0.69 12.70*0.68 12.70*0.70 15.88*0.35 15.88*0.41 15.88*0.60 15.88*0.60 15.88*0.60 15.88*0.60 15.88*0.60 15.88*0.90 19.05*0.88 |

Any specification other than the above mentioned spec can be arranged upon prior information.

INNER-GROOVED TUBES (IGT)

■ Heat Transfer Coefficient of 1.8-2.0
■ High Efficiency Than Plain Tubes



| Outer Dia | Specification (mm) | Weight/ metre |
|-----------|--------------------|---------------|
| 5 mm | 5.00*0.20+0.15 | 33 |
| 7 mm | 07.00*0.22+0.10 | 46.5 gm |
| 7 mm | 07.00*0.23+0.10 | 47.5 gm |
| 7 mm | 07.00*0.25+0.10 | 52 gm |
| 3/8" | 09.52*0.27+0.12 | 75 gm |
| 3/8" | 09.52*0.28+0.15 | 83 gm |
| 3/8" | 09.52*0.28+0.20 | 85 gm |
| 3/8" | 09.52*0.30+0.20 | 90 gm |

STRAIGHT COPPER TUBES

Immersion & Heating Element Industry



Sizes (16 Feet)

3/8*

450gm/500gm/600gm/ 700gm/800gm/900gm/1.0 kg



10mm* 700/800/900gm/1.0 kg

11mm* 1.0kg/1.15kg/1.20kg

Special sizes also available/sourced

HVAC&R Industry

Sizes

OD from

6.35mm(1/4") to 79.37mm(31/8") Available with us readily/against bookings.

VRV/VRF standard specifications and approved makes available with us.

Special specifications can also be arranged.

PANCAKE COPPER COIL(PCC)

OUR EXCLUSIVE BRANDS









JINTUBE HAILIANG





All sizes 3/16" to 7/8" available in Non VRV/VRV specification

Copper Capillary

Specifications for OEMs/Refrigeration markets available of premium quality. Ready stock also available.

SS Tubes

9.52mm(3/8")*.0.50-0.60 12.70mm(1/2")*0.60 15.88mm(5/8")*0.60 15mm

Finned Tubes

3/4*17g - 26fins 3/4*17.5g - 26fins

Brass Tubes

5/16" and 3/8" sizes available





RAJASTHAN METALS Pvt. Ltd.

Trust & Quality Always

ABOUT US

We are dealing in import and stocking of copper and copper alloys. With over 55 years of experience in the industry, we believe that trust and transparency are pillars of our growth. We are the authorized distributors of Jintian and Hiliang Copper Products in India. We maintain a huge range of sizes and specifications of copper tubes used in heating, air-conditioning and ventilation industry. Parallelly we also stock imported copper tubes used in Geyser and Heating Element Industry.

Infrastructure you can rely upon





Delhi-110033. | Ph.: +91 9990942884, 9312211418 Email: sales.rmetals73@gmail.com, rmetals73@gmail.com

Website: rajasthanmetals.com





Sister concern: Mardia Metals